



# WENZHOU WANS TORCH CO., LTD.

ADD: No. 7, HongShengDa Road, WuTian Sub-District, OuHai District, Wenzhou City, Zhejiang Province

Phone: 0086-18958797755 FAX:0086-577-86295722 Wechat:18958797755

Contact person: Yuna Hu

Email: yuna@wanstorch.com

Website: www.wanstorch.com



## QUOTATION

ITEM#	PICTURE	DESCRIPTION	GAS	FOB Ningbo	QTY	DELIVERY TIME	PACKAGE
				USD / PCS	PCS		
BS-106		Size: 4.1X3.2X12.8CM Weight: 103g Gas Volume: 4g ABS plastic+Zinc head Four flame Temperature: 1300°C	without butane gas	\$2.35	3000	35 days	display package Package: 144pcs/carton; Size:36.6X29.5X42.2CM G.W/N.W: 17.5/17KG 
				\$2.20	6000		
BS-107		Size: 4.1X3X12.5CM Weight: 99g Gas Volume: 4g ABS plastic+Zinc head single flame (big flame) Temperature: 1300°C	without butane gas	\$2.26	3000	35 days	display package Package: 144pcs/carton; Size:39X30.5X41 CM G.W/N.W: 17.5/16.5KG 
				\$2.12	6000		
BS-108		Size:6.3X3X12.5CM Weight: 99g Gas Volume: 4gABS Plastic+Zinc head Four flame Temperature: 1300°C	without butane gas	\$2.35	3000	35 days	display package Package: 144pcs/carton; Size:39X30.5X41 CM G.W/N.W: 17.5/16.5KG 
				\$2.20	6000		
BS-109		Size: 4.3X3.2X12.5CM Weight: 99g Gas Volume: 4g ABS plastic+Zinc head Single flame (big flame) Temperature: 1300°C	without butane gas	\$2.26	3000	35 days	display package Package: 144pcs/carton; Size:40X36X41 CM G.W/N.W: 17.5/16.5KG 
				\$2.12	6000		
BS-112		Size: 6.5X3.2X12.7CM Weight: 110g Gas Volume: 4g ABS plastic+Zinc head Single flame (big flame) Temperature: 1300°C	without butane gas	\$2.26	3000	35 days	display package Package: 144pcs/carton; Size:40X36X41 CM G.W/N.W: 19/18KG 
				\$2.12	6000		
BS-115		<b>CE CERTIFICATE</b> Size: 4.1X3.2X13.3CM Weight: 107g Gas Volume: 4g.ABS plastic+Zinc head Single flame Temperature: 1300°C	without butane gas	\$2.35	3000	35 days	display package Package: 144pcs/carton; Size:36.6X29.5X43.7 CM G.W/N.W: 18/17KG 
				\$2.20	6000		
BS-116		Size: 4.6X3.3X13.3CM Weight: 124g Gas Volume: 4g	without	\$2.35	3000	35 days	display package Package: 144pcs/carton; Size:36.6X29.5X43.7 CM G.W/N.W: 20.5/19.5KG 

BS-116		ABS plastic+Zinc head Single flame Temperature: 1300°C	butane gas	\$2.20	6000	35 days	
BS-117		Size: 4.6X3.8X13.3CM Weight: 131g Gas Volume: 4g ABS plastic+Zinc head Single flame Temperature: 1300°C	without butane gas	\$2.35	3000	35 days	display package Package: 108pcs/carton; Size:36.6X29.5X43.7 CM G.W/N.W: 17/16KG 
				\$2.20	6000		
BS-120		Size:3X3X10CM Weight: 117g Gas Volume: 6g Aluminium+Zinc alloy Four flames Temperature: 1300°C	without butane gas	\$3.56	1000	35 days	gift box Package: 100pcs/carton; Size:47X46.5X33.1 CM G.W/N.W: 23/22KG
				\$3.38	3000		
BS-121		Size:2X2X15.5CM Weight: 51g Gas Volume: 4g Aluminium alloy Temperature: 1300°C	without butane gas	\$1.62	3000	35 days	display package
				\$1.49	6000		
BS-198		<b>CE CERTIFICATE WITH IRON WELDING</b> 1. Size: 8.4×5.5×23.2CM 2. Weight: 189 g 3. Gas Volume: 5 g 4. Nominal heat input (Hs): 0.4kW (G30:29g/h) 5. Ignition device: Piezo ignition 6. Appliance category: Direct pressure – Butane.	without butane gas	\$10.31	1000	35 days	
				\$10.04	3000		
BS-202 plastic		Size: 8.2X3.5X12.5CM Weight: 108g Gas Volume: 5g Plastic+Zinc head Soft flame is available Temperature: 1300°C	without butane gas	\$2.43	2000	35 days	Blister package Package: 100pcs/cartoon Size:74.5X30.5X41 CM G.W/N.W: 16.5/15.5KGS 
				\$2.28	4000		
BS-202 zinc alloy		Size: 8.2X3.5X12.5CM Weight: 133g Gas Volume: 5g Aluminium body+Zinc head Soft flame is available Temperature: 1300°C	without butane gas	\$2.67	2000	35 days	Blister package Package: 100pcs/cartoon Size:74.5X30.5X41 CM G.W/N.W: 19/18KGS 
				\$2.52	4000		
BS-203		<b>CE CERTIFICATE</b> Size: 8.2X4.2X14.1CM Weight: 173 g Gas Volume: 6 g Plastic body+Zinc head Safety Lock Temperature: 1300°C	without butane gas	\$3.23	1000	35 days	Blister package Package: 100pcs/cartoon Size:70.5X34.7X44 CM G.W/N.W: 23/22KGS 
				\$3.09	3000		

OS-205		<b>CE CERTIFICATE</b> Size: 9.4X3.6X14.6 CM Weight: 169 g Gas Volume: 6 g Plastic body+Zinc head Temperature: 1300°C	without butane gas	\$3.70	1000	35 days	Color box Package: 100pcs/cartoon Size:67.5X26.7X68 CM G.W/N.W: 25/23.5 KG 
				\$3.55	3000		
OS-206		Size: 11X4X14.6 CM Weight: 171 g Gas Volume: 6 g Plastic body+Zinc alloy Temperature: 1300°C	without butane gas	\$3.54	1000	35 days	Color box Package: 100pcs/cartoon Size:68X27X68 CM G.W/N.W: 25.5/24 KG 
				\$3.40	3000		
BS-208		<b>CE CERTIFICATE</b> Size: 10.7X3.2X15.5CM Weight: 121 g Gas Volume: 6 g Plastic body+Zinc alloy Temperature: 1300°C	without butane gas	\$3.70	1000	35 days	gift box Package: 60pcs/cartoon Size: 43X42X38CM G.W/N.W: 20/18KG 
				\$3.55	3000		
BS-209		<b>CE CERTIFICATE</b> Size: 11.5X3X15CM Weight: 161g Gas Volume: 6g Nylon body+Zinc alloy Double flame Temperature: 1300°C	without butane gas	\$4.01	1000	35 days	gift box Package: 60pcs/cartoon Size: 43X42X38CM G.W/N.W: 22.5/21.5KG 
				\$3.86	3000		
BS-210		(WITH USB LIGHT) Size: 17.9×3.4×13cm Weight: 185 g Gas Volume: 7 g	without butane gas	\$5.51	1000	35天	gift box
				\$5.33	3000		
BS-230T		<b>CE CERTIFICATE</b> Size:10.1X6.2X13.8CM Weight:177 g Gas Volume:10g Safety lock Aluminium alloy body Temperature: 1300°C	without butane gas	\$3.46	1000	35 days	Blister package Package: 100pcs/carton; Size:88X39X49.5 CM G.W/N.W: 26/25KG 
				\$3.32	3000		
BS-240		Size:10.1X6.2X13.8CM Weight:177 g Gas Volume:10g Safety lock Aluminium alloy body Temperature: 1300°C	without butane gas	\$3.46	1000	35 days	Blister package Package: 100pcs/carton; Size:88X39X49.5 CM G.W/N.W: 26/25KG 
				\$3.32	3000		

BS-260		Size:7.6X6.1X15.1CM Weight:203 g Gas Volume:10g Safety lock Flame adjustable at bottom Zinc body Temperature: 1300°C	without butane gas	\$3.30	1000	35 days	Color box Package: 100pcs/carton; Size:47.5X36.5X65.5CM G.W/N.W: 27 /26 KG 
				\$3.17	3000		
BS-261		Size:7.6X6.1X15.1CM Weight:204 g Gas Volume: 8g Safety lock Flame adjustable at top Zinc body Temperature: 1300°C	without butane gas	\$3.46	1000	35 days	Color box Package: 100pcs/carton; Size:47.5X36.5X65.5CM G.W/N.W: 27 /26 KG 
				\$3.32	3000		
BS-265		CE CERTIFICATE Size:8X4.7X14.7CM Weight:186 g Gas Volume: 6g Safety lock Zinc top and base+plastic body Temperature: 1300°C	without butane gas	\$3.46	1000	35 days	Color box Package: 100pcs/carton; Size:46X50X32CM G.W/N.W:25 /24 KG 
				\$3.32	3000		
BS-266		CE CERTIFICATE Size:8X5.8X14.5CM Weight:197 g Gas Volume: 6g Safety lock Zinc top and base+plastic body Temperature: 1300°C	without butane gas	\$3.54	1000	35 days	Color box Package: 100pcs/carton; Size:48X62X33CM G.W/N.W: 26.5 /25.5 KG 
				\$3.40	3000		
BS-270		Size:7.6X6.1X15.1CM Weight:139 g Gas Volume:10g Safety lock Flame adjustable at bottom Plastic body Temperature: 1300°C	without butane gas	\$2.68	1000	35 days	Color box Package: 100pcs/carton; Size:47.5X36.5X65.5CM G.W/N.W: 21 /20 KG 
				\$2.55	3000		
BS-271		Size:7.6X6.1X15.1CM Weight:142 g Gas Volume:8g Safety lock Flame adjustable at top Plastic body Temperature: 1300°C	without butane gas	\$2.83	1000	35 days	Color box Package: 100pcs/carton; Size:47.5X36.5X65.5CM G.W/N.W: 21 /20 KG 
				\$2.70	3000		
BS-280		Size: 8×4.7×11.5CM Weight: 102g Gas Volume: 5g Safety lock Temperature: 1300°C	without butane gas	\$2.43	1000	35 days	color box
				\$2.28	3000		

BS-281		<p><b>CE CERTIFICATE</b>            Size: 9X4.5X11CM            Weight: 121g            Gas Volume: 5g            Temperature: 1300°C</p>	without butane gas	\$2.51	1000	35 days	<p>color box            Package:100pcs/carton;            Size:49X27X49CM            Weight: 17 /16 KG</p> 
				\$2.36	3000		
BS-282 with USB LIGHT		<p>Size: 5.1×4×16.1CM            weight: 157.9 g            Gas Volume: 6 g            Temperature: 1300°C</p>	without butane gas	\$4.41	1000	35 days	color box
				\$4.25	3000		
BS-400		<p><b>CE CERTIFICATE</b>            Size:12X6X15.7CM            Weight:202 g            Gas Volume:10g            Safety Lock            Temperature: 1300°C</p>	without butane gas	\$3.54	1000	35 days	<p>Color box            Package: 100pcs/carton;            Size:67.5X35X68.5CM            G.W/N.W: 29 /27KG</p> 
				\$3.40	3000		
BS-400 SMOOTH BODY		<p><b>CE CERTIFICATE</b>            Size:12X6X15.7CM            Weight:202 g            Gas Volume:10g            Flame adjustable at top            Aluminium alloy body            Safety Lock</p>	without butane gas	\$3.62	1000	35 days	<p>Color box            Package: 100pcs/carton;            Size:67.5X35X68.5CM            G.W/N.W: 29 /27KG</p> 
				\$3.47	3000		
BS-400 Color spray		<p><b>CE CERTIFICATE</b>            Size:12X6X15.7CM            Weight:202 g            Gas Volume:10g            Flame adjustable at top            Aluminium alloy body            Safety Lock</p>	without butane gas	\$4.09	1000	35 days	<p>Color box            Package: 100pcs/carton;            Size:67.5X35X68.5CM            G.W/N.W: 29 /27KG</p> 
				\$3.94	3000		
BS-401		<p><b>CE CERTIFICATE</b>            Size:10.4X6X16CM            Weight:201 g            Gas Volume:10g            Flame adjustable at top            Aluminium alloy body            Safety Lock</p>	without butane gas	\$3.46	1000	35 days	<p>Color box            Package: 100pcs/carton;            Size:57X34X68.5 CM            G.W/N.W: 28 /27KG</p> 
				\$3.32	3000		
BS-401 Color spray		<p><b>CE CERTIFICATE</b>            Size:10.4X6X16CM            Weight:201 g            Gas Volume:10g            Flame adjustable at top            Aluminium alloy body            Safety Lock</p>	without butane gas	\$3.93	1000	35 days	<p>Color box            Package: 100pcs/carton;            Size:57X34X68.5 CM            G.W/N.W: 28 /27KG</p> 
				\$3.78	3000		

BS-405		<p><b>CE CERTIFICATE</b>            Size:11.1X6.6X15.7cm            Weight: 172g            Gas Volume: 10 g            Aluminium alloy body            Child resistance ( CR )</p>	without butane gas	\$3.30	1000	35 days	<p>color box            Package: 100pcs/carton;            Size: 66.5×35.7×71CM            weight: 27.5 /25.5KG</p>
				\$3.17	3000		
BS-406		<p><b>CE CERTIFICATE</b>            Size: 12.6×6×X16.1cm            Weight:198g            Gas Volume: 10 g            Aluminium alloy body            Safety lock</p>	without butane gas	\$3.54	1000	35 days	<p>color box            Package: 100pcs/carton;            Size: 74X35.7X70 CM            weight: 30/28 KG</p>
				\$3.40	3000		
BS-407		<p><b>CE CERTIFICATE</b>            Size 10X6X15CM            Weight: 192g            Gas Volume: 10g            Aluminium alloy body</p>	without butane gas	\$3.54	1000	35 days	<p>color box            Package:100pcs/carton;            Size: 59.5X34X65CM            Weight: 26/25KG</p> 
				\$3.40	3000		
BS-408		<p>1.Size:12.6X5.8X15.9CM            2.Weight: 425 g            3.Gas Volume: 20g            4.Ignition device: Piezo ignition            5.Appliance category: Direct pressure – Butane.            6.Temperature: 1300 degrees Celsius            7. Material:Stainless steel flame outlet+zinc top+copper body/base+copper tank</p>	without butane gas	\$9.52	1000	35 days	<p>gift box</p> 
				\$9.26	3000		
BS-410		<p><b>CE CERTIFICATE</b>            Size:12X6X15.7CM            Weight:206 g            Gas Volume:10g            Flame adjustable at top            Aluminium alloy body            7.Child resistance</p>	without butane gas	\$3.62	1000	35 days	<p>Blister package            Package:100pcs/carton;            Size:89.5X39.5X46.5 CM            G.W/N.W: 27.5/26.5 KG</p> 
				\$3.47	3000		
BS-450		<p>Size:11.1X6.2X14.5CM            Weight:195 g            Gas Volume:10g            Flame adjustable at top            Aluminium alloy body</p>	without butane gas	\$3.23	1000	35 days	<p>Color box            Package: 100pcs/carton;            Size:63X34.5X65CM            G.W/N.W: 28 /27 KG</p> 
				\$3.09	3000		
BS-470		<p><b>CE CERTIFICATE</b>            Size:11.8X6.2X15.4CM            Weight:170g            Gas Volume:10g</p>	without	\$3.38	1000	35 days	<p>Blister package            Package: 100pcs/carton;            Size:66.5X38X48.5CM            G.W/N.W: 24/23KG</p> 

BS-470		Gas Volume:10g Flame adjustable at top Aluminium alloy body Safety lock	butane gas	\$3.24	3000	35 days	
BS-480		CE CERTIFICATE Size:11.7X6X15.7CM Weight:195 g Gas Volume:10g Flame adjustable at top Aluminium alloy body Safety Lock	without butane gas	\$3.62	1000	35 days	Color box Package: 100pcs/carton; Size:65.5X35X68.5CM G.W/N.W: 28 /26KG 
				\$3.47	3000		
OS-490		CE CERTIFICATE Size:11.4X6.3X16.7CM Weight:187 g Gas Volume:9g Flame adjustable at top Aluminium alloy body Safety Lock	without butane gas	\$3.86	1000	35 days	Color box Package: 100pcs/carton; Size:61X36X71CM G.W/N.W: 27.5/26KG 
				\$3.71	3000		
BS-600		CE CERTIFICATE Size:15.4X6.5X17.7CM Weight:269g Gas Volume:15g Flame adjustable at top Aluminium alloy body	without butane gas	\$3.86	1000	35 days	Blister package Package: 60pcs/carton; Size:62.5X41.5X53CM G.W/N.W: 23/21.5KG 
				\$3.71	3000		
BS-610		Size:15.4X6.5X17.7CM Weight:269g Gas Volume:15g Flame adjustable at top Aluminium alloy body Child resistance	without butane gas	\$3.93	1000	35 days	Blister package Package: 60pcs/carton; Size:62.5X41.5X53CM G.W/N.W: 23/21.5KG 
				\$3.78	3000		
BS-620		Size:12.1X4.5X17.2CM 3.Weight:211g 4. Gas Volume:15g 5.Flame adjustable at top 6.Aluminium alloy body	without butane gas	\$3.70	1000	35 days	Blister package Package: 60pcs/carton; Size:54X39.5X48.5CM G.W/N.W: 18/17KG 
				\$3.55	3000		
BS-630		Size:13.6X6.7X17.5CM Weight:242g Gas Volume:15g Flame adjustable at top Aluminium alloy body Child resistance	without butane gas	\$3.86	1000	35 days	Blister package Package: 60pcs/carton; Size:56X50X44 CM G.W/N.W: 23/22KG 
				\$3.71	3000		
BS-640		CE CERTIFICATE Size:13.8X6.1X18.2CM Weight:244g Gas Volume:24g	without	\$3.86	1000	35 days	Blister package Package: 60pcs/carton; Size:56X40X52.5 CM G.W/N.W: 20.5/19.5KG 

BS-640		Gas Volume:24g Flame adjustable at top Aluminium alloy body Child resistance	butane gas	\$3.71	3000	35 days	
BS-640 Color spray		CE CERTIFICATE Size:13.8X6.1X18.2CM Weight:244g Gas Volume:15g Flame adjustable at top Aluminium alloy body Child resistance	without butane gas	\$4.41	1000	35 days	Blister package Package: 60pcs/carton; Size:56X40X52.5 CM G.W/N.W: 20.5/19.5KG 
				\$4.25	3000		
BS-660 Double Flame		CE CERTIFICATION Size:16.5X8X18.7 CM Weight: 311 g Gas Volume: 15g Flame adjustable Aluminium alloy body	without butane gas	\$4.80	1000	35 days	Blister package Package: 60pcs/carton; size:67.5X50X53.5CM G.W/N.W: 25.5/24.5KG 
				\$4.63	3000		
BS-661 Single Flame		Size:16X8X18.5CM Weight: 273 g Gas Volume: 15g Flame adjustable Aluminium alloy body	without butane gas	\$4.64	1000	35days	Blister package Package: 60pcs/carton; size:67.5X50X53.5CM G.W/N.W: 24/23KG 
				\$4.48	3000		
BS-700		Size:15.2X7.4X19.5CM Weight:330 g Gas Volume:20g Flame adjustable Aluminium alloy body Safety Lock	without butane gas	\$4.64	1000	35 days	Blister package Package: 60pcs/carton; Size:62.5X49.3X57CM G.W/N.W: 27.5/26KG 
				\$4.48	3000		
BS-710		Size:15X7X19.5CM Weight:327 g Gas Volume:20g Flame adjustable at top Aluminium alloy body Child resistance system	without butane gas	\$4.64	1000	35 days	Blister package Package: 60pcs/carton; Size:61.5X43.3X56CM G.W/N.W: 27/25.5KG 
				\$4.48	3000		
BS-810		1.Size: 8.4X4.2X16.1CM 2.Weight: 275g 3.Gas Volume: 7g 4.Flame adjustable 5.Zinc alloy+plastic	without butane gas	\$4.64	1000	35 days	gift box Package: 40pcs/carton; Size:44.5X37.5X25 CM G.W/N.W: 17/16KG 
				\$4.48	3000		
BS-815		CE CERTIFICATE Size:9.8X5.4X15.7CM Weight:198 g Gas Volume:10g	without	\$3.78	1000	35 days	Color box Package: 100pcs/carton; Size:57X32X68CM G.W/N.W: 28/27KG 













BS-813		Gas Volume: 10g Flame adjustable at top Zinc+plastic Safety Lock	butane gas	\$3.63	3000	35 days	
BS-815S		<b>CE CERTIFICATE</b> 1.Size: 11×5.4×15CM 2.Weight: 213 g 3.Gas Volume:7g 4.Ignition device: Piezo ignition 5.Appliance category: Direct pressure – Butane. 6.Temperature: 1300 degrees Celsius 7. Material:Zinc alloy top+ABS body+zinc alloy base+zinc alloy frame+Polyoxymethylene tank 8.Safety Lock 9. The nozzle neck can rotate by 90 degrees.	without butane gas	\$3.93	1000	35 days	<b>Color box</b> Package: 100pcs/carton; Size:57X32X68CM G.W/N.W: 28/27KG 
				\$3.78	3000		
BS-816		<b>CE CERTIFICATE</b> 1.Size: 11×5.4×15CM 2.Weight: 213 g 3.Gas Volume:7g 4.Ignition device: Piezo ignition 5.Appliance category: Direct pressure – Butane. 6.Temperature: 1300 degrees Celsius 7. Material:Zinc alloy top+ABS body+zinc alloy base+zinc alloy frame+Polyoxymethylene tank 8.Safety Lock	without butane gas	\$3.93	1000	35 days	<b>Color box</b> Package: 100pcs/carton; Size:57X32X68CM G.W/N.W: 28/27KG 
				\$3.78	3000		
BS-825		<b>CE CERTIFICATE</b> Size: 3×2×20.2CM Weight: 142g Gas Volume: 8g Aluminum alloy Safety Lock	without butane gas	\$3.46	1000	35 days	<b>display</b> Package: 108pcs/carton; Size:37.3X32X42.3CM G.W/N.W: 17.5/16.5KG
				\$3.32	3000		
BS-826		1.Size: 4.5X4.5X28.1 CM 2.Weight: 240 g 3.Gas Volume: 8 g 4.Ignition device: Piezo ignition 5.Appliance category: Direct pressure – Butane. 6. Lamp power: 2.4W 7.Battery current intensity: 170 milliamperes 8.Temperature: 1300 degrees Celsius 9. Material:Zinc alloy top+aluminum body+zinc alloy frame+Polyoxymethylene tank	without butane gas	\$4.72	1000	35 days	<b>color box</b> 10pcs/inner box, 80pcs/out box out box size: 50.6X44.1X32.6CM GW/NW: 24/22.5KGS
				\$4.56	3000		
BS-830		1.Size: 11X5.77X15.4CM 2.Weight: 354g 3.Gas Volume: 7g	without	\$5.59	1000	35 days	<b>gift box package</b> Package: 40pcs/carton; Size:59X39.5X35.5 CM G.W/N.W: 22/21KG

BS-850		3.Gas Volume: 7g 4.Flame adjustable 5.plastic+stainless steel	butane gas	\$5.40	3000	35 days	
BS-850 double flame		<b>CE CERTIFICATE</b> 1.Size: 12.4X7.3X20CM 2.Weight: 287g 3.Gas Volume: 35g 4.Flame adjustment at top 5.plastic	without butane gas	\$4.64	1000	35 days	<b>Color box</b> Package: 60pcs/carton; Size: 60.5X43.5X51.5CM G.W/N.W: 26/24.5 KG 
				\$4.48	3000		
BS-850 double flame Color spray		<b>CE CERTIFICATE</b> 1.Size: 12.4X7.3X20CM 2.Weight: 287g 3.Gas Volume: 35g 4.Flame adjustment at top 5.plastic	without butane gas	\$4.64	1000	35 days	<b>Color box</b> Package: 60pcs/carton; Size: 60.5X43.5X51.5CM G.W/N.W: 26/24.5 KG 
				\$4.48	3000		
BS-851 single flame		<b>CE CERTIFICATE</b> 1.Size: 12.4X7.3X20CM 2.Weight: 287g 3.Gas Volume: 35g 4.Flame adjustment at top 5.plastic	without butane gas	\$5.19	1000	35 days	<b>Color box</b> Package: 60pcs/carton; Size: 82.5X33X43.5CM G.W/N.W: 26/24.5 KG 
				\$5.02	3000		
BS-852		<b>CE CERTIFICATE</b> 1.Size: 17.2X7.3X20.4CM 2.Weight: 279g 3.Gas Volume: 35g 4.Flame adjustment at top 5.plastic	without butane gas	\$4.80	1000	35 days	
				\$4.63	3000		
BS-853		1.Size: 12.4X7.3X20CM 2.Weight: 287g 3.Gas Volume: 35g 4.Flame adjustment at top 5.plastic	without butane gas	\$4.64	1000	35 days	<b>Color box</b> Package: 60pcs/carton; Size: 82.5X33X43.5CM G.W/N.W: 26/24.5 KG 
				\$4.48	3000		
BS-854		1.Size: 12.4X7.3X20CM 2.Weight: 287g 3.Gas Volume: 35g 4.Flame adjustment at top 5.plastic	without butane gas	\$4.64	1000	35 days	<b>Color box</b> Package: 60pcs/carton; Size: 60.5X43.5X51.5CM G.W/N.W: 26/24.5 KG 
				\$4.48	3000		
BS-860		<b>CE CERTIFICATE</b> 1.Size: 4.7X3.6X15.2CM 2.Weight: 185g	without	\$4.17	1000	35 days	<b>gift box package</b> Package: 40pcs/carton; Size: 44.5X37.5X25 CM G.W/N.W: 13.5/12.5KG 

BS-800		<p>3.Gas Volume: 6g 4.Zinc alloy+plastic 5.Safety lock</p>	butane gas	\$4.01	3000	35 days	
BS-861		<p>1.Size: 4.7X3.6X15.2CM 2.Weight: 185g 3.Gas Volume: 6g 4.Zinc alloy+plastic 5.Safety lock</p>	without butane gas	\$4.17	1000	35 days	<p>gift box package Package: 40pcs/carton; Size: 44.5X37.5X25 CM G.W/N.W: 13.5/12.5KG</p> 
				\$4.01	3000		
BS-870		<p><b>CE CERTIFICATE</b> 1.Size: 3.5X3.2X18.7CM 2.Weight: 102g 3.Gas Volume: 7g 4.Zinc alloy+plastic</p>	without butane gas	\$3.07	2000	35 days	<p>diaplay package Package: 96pcs/carton; Size: 36.5X29.5X44.3CM G.W/N.W: 12/11KG</p> 
				\$2.93	4000		
BS-880		<p><b>CE CERTIFICATE</b> 1.Color:Red,Blue,Black,Silver 2.Size: 9X6X19.4 CM 2.Weight: 248g 3.Gas Volume:10 g 4.Zinc alloy+plastic</p>	without butane gas	\$4.64	1000	35 days	<p>Color box Package: 50pcs/carton; Size: 47.5X41X40 CM G.W/N.W: 17/16 KG</p> 
				\$4.48	3000		
BS-881		<p><b>CE CERTIFICATE</b> 1.Color:Red,Blue,Black,Silver 2.Size: 9X6X19.4 CM 2.Weight: 241g 3.Gas Volume:10 g 4.Zinc alloy+plastic</p>	without butane gas	\$4.48	1000	35 days	<p>Color box Package: 50pcs/carton; Size: 47.5X41X40 CM G.W/N.W: 17/16 KG</p> 
				\$4.32	3000		
BS-882		<p>1.Color:Red,Blue,Black,Silver 2.Size: 9X6X19.4 CM 2.Weight: 246g 3.Gas Volume:10 g 4.Zinc alloy+plastic 5.Adjust to soft flame</p>	without butane gas	\$4.48	1000	35 days	<p>Color box Package: 50pcs/carton; Size: 47.5X41X40 CM G.W/N.W: 17/16 KG</p> 
				\$4.32	3000		
BS-890		<p>1.Color:Red,Blue,Blue,Black 2.Size: 8.4X3.4X13.4CM 3.Weight: 201g 4.Gas Volume: 6g 5.Zinc alloy+plastic</p>	without butane gas	\$4.25	1000	35 days	<p>gift box package Package: 40pcs/carton; Size: 48.5X34X23 CM G.W/N.W: 13.5/12.5KG</p> 
				\$4.09	3000		
BS-891		<p>1.Color:Red,Blue,Blue,Black 2.Size: 8.4X3.4X13.4CM 3.Weight: 201g</p>	without	\$4.33	1000	35 days	<p>gift box package Package: 40pcs/carton; Size: 48.5X34X23 CM G.W/N.W: 13.5/12.5KG</p> 










DS-091		4.Gas Volume: 6g 5.Zinc alloy+plastic	butane gas	\$4.17	3000	35 days	
MT-901		CE certification Size:197X37X70 MM Weight:138 g Tube caliber:12 MM	without propane gas	\$3.23	1000	35 days	
				\$3.09	3000		
MT-903		Size:213.5X86.5X36.5 CM Weight:277 g Tube caliber:32 MM anti-flare use use	without propane gas	\$10.86	1000	35 days	gift box package Package: 24pcs/carton; Size: 52.5X34X41 CM G.W/N.W: 12.5/11.5KG 
				\$10.50	3000		
MT-904		CE certification (大, 小) Size:213X86X36 CM Weight:294 g Tube caliber:32 MM anti-flare use use	without propane gas	\$10.86	1000	35 days	gift box package Package: 24pcs/carton; Size: 52.5X34X41 CM G.W/N.W: 12.5/11.5KG 
				\$10.50	3000		
MT-905		CE certification 1. Size:355X128X59 MM 2.Weight:438 g 3.Tube caliber:50 MM 4.Material: ABS body + zinc alloy frame+copper connection+Stainless steel Flame outlet 5. Ignition device: Piezo ignition 6. Nominal heat input (Hs): 40 kW (2859 g/h) 7.Temperature: 1800 degrees Celsius 8. Adjustable flame length 9. flame MAX size: 50cm	without propane gas	\$8.50	1000	35 days	gift box package Package: 24pcs/carton; Size: 57.8X39.8X50 CM G.W/N.W: 16.5/16KG 
				\$8.18	1000		
MT-906		CE CERTIFICATE (小) Size:15.8X3X84.7CM Weight:476 g Tube caliber:23 MM	without propane gas	\$10.07	1000	35 days	gift box package Package: 24pcs/carton; 
				\$9.73	3000		
MT-909		CE CERTIFICATE (小) 1. Size:35.5X5.5X11.3 CM 2. weights:453 g 3. Tube caliber: 50MM 4. Ignition device: Piezo ignition 5. Nominal heat input (Hs): 40 kW (2859 g/h) 6.Temperature: 1800 degrees Celsius 7. Adjustable flame length 8. flame MAX size: 50cm	without propane gas	\$8.81	1000	35 days	gift box package Package: 24pcs/carton; Size: 57.8X39.8X50 CM G.W/N.W: 17.2/16KG
				\$8.49	3000		

MT-908 short	 short gun	<b>CE CERTIFICATE (带转接头)</b> Size:38X5.5X18.4 CM weights:576 g Tube caliber:50MM	without propane gas	\$14.32	1000	35 days	gift box package 9pcs/master box
				\$13.90	3000		
MT-908 long	 long gun	Size:51.7X5.5X18.4 CM weights:640 g Tube caliber:50MM	without propane gas	\$15.58	1000	35 days	gift box package 9pcs/master box
				\$15.13	3000		
MT-920		<b>CE CERTIFICATE (带转接头)</b> 1. Size: 35.4×5.9×14.9CM 2. weights: 461 g 3. Tube caliber: 50MM 4. Ignition device: Piezo ignition 5. Nominal heat input (Hs): 36 kW (2287 g/h) 6. Temperature: 1800 degrees Celsius 7. Adjustable flame length 8. flame MAX size: 50cm 9. One-click Max fire function	propane gas	\$10.86	1000	35 days	gift box package QTY: 24PCS G.W: 19.2 KGS N.W: 18.2 KGS MEAS:57X41X54CM
				\$10.50	3000		
iron base			国外有专利，不要推	¥ 30.00	1000	35 days	
plastic base				¥ 8.00	1000	35 days	
WS-502C		Size:15.3X6.7X4CM Weight:125g Tube caliber:19MM	without butane gas	\$1.78	1000	35 days	Blister package Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 16.5/15.5KG 
				\$1.65	3000		
WS-503C		Size:16.8X7X5 CM Weight:145 g Tube caliber:19 MM	without butane gas	\$1.86	1000	35 days	Blister package Package: 100pcs/carton; Size:83X33X52CM G.W/N.W: 20/19KG 
				\$1.73	3000		

WS-504C		Size:15X8.3X4CM Weight:130g Tube caliber:19MM	without butane gas	\$1.86	1000	35 days	Blister package Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 17.5/16.5KG 
				\$1.73	3000		
WS-505C		Size: 16X7X4 CM Weight: 113 g Tube caliber: 19 MM	without butane gas	\$1.78	1000	35 days	Blister package Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 17.1/16KG 
				\$1.65	3000		
WS-506C		Size: 17X7X4 CM Weight: 116 g Tube caliber: 19 MM	without butane gas	\$1.78	1000	35 days	Blister package Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 17.5/16KG 
				\$1.65	3000		
OS-507A		Size: 19.7X3.7X6.7 CM Weight: 116 g Tube caliber: 12 MM	without butane gas	\$2.26	1000	35 days	Blister package Package: 100pcs/carton; Size:85X27X45CM G.W/N.W: 17.5/16KG 
				\$2.12	3000		
WS-508C		CE certification Size:130X115X40 MM Weight:112 g Tube caliber:19 MM anti-flare use	without butane gas	\$2.26	1000	35 days	Blister package Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 16.5/15KG 
				\$2.12	3000		
WS-509C		CE certification Size:14X10.5X4.2 CM Weight:123 g Tube caliber:19 MM anti-flare use	without butane gas	\$2.26	1000	35 days	Blister package Package: 100pcs/carton; Size:75X35X43CM G.W/N.W: 18/17KG 
				\$2.12	3000		
WS-510C		Size: 165X67X40CM Weight: 117 g Tube caliber:19 MM	without butane gas	\$1.78	1000	35 days	Blister package Package: 100pcs/carton; Size: 75X29X43 CM G.W/N.W: 18/16 KG 
				\$1.65	3000		
WS-511C		CE certification Size:17X7X5 CM Weight:137 g Tube caliber:19 MM anti-flare use	without butane gas	\$2.26	1000	35 days	Blister package Package: 100pcs/carton; Size:83X33X52CM G.W/N.W: 20/19KG 
				\$2.12	3000		

WS-512C		<b>CE certification</b> Size:15.5X6.9X4 CM Weight:115 g Tube caliber:19 MM anti-flare use	without butane gas	\$2.26	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 17/15KG 
				\$2.12	3000		
WS-513C		<b>CE certification</b> Size:15X8X4 CM Weight:124.7 g Tube caliber:19 MM anti-flare use	without butane gas	\$2.26	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 18.5/17KG 
				\$2.12	3000		
WS-516C		<b>CE certification</b> Size:20X7.5X4CM Weight:162 g Tube caliber:22 MM Soft Flame anti-flare use	without butane gas	\$2.91	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:85X33X45CM G.W/N.W: 22/20KG 
				\$2.75	3000		
WS-518C		Size: 20X7X5 CM Weight: 180 g Tube caliber: 22 MM Soft Flame anti-flare use	without butane gas	\$2.91	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:83X33X52CM G.W/N.W: 24/22KG 
				\$2.75	3000		
WS-519C		Size: 18.2X4.9X6.5 CM Weight: 146 g Tube caliber: 22 MM anti-flare use	without butane gas	\$2.51	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:83X33X52CM G.W/N.W: 21/19KG 
				\$2.36	3000		
WS-521C		Size: 14X4X6.6 CM Weight: 155 g Tube caliber: 22 MM Soft Flame anti-flare use	without butane gas	\$2.75	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 18/16.5KG 
				\$2.60	3000		
WS-523C		<b>CE CERTIFICATION</b> Size: 17X8.5X5 CM Weight: 196g Tube caliber: 22 MM Safety Lock anti-flare use	without butane gas	\$3.15	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:85X37X46 CM G.W/N.W: 25/24 KG 
				\$2.99	3000		
WS-525C		Size: 16X7X4CM Weight: 118 g Tube caliber: 19 MM anti-flare use	without butane gas	\$2.18	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 18/17KG 
				\$2.05	3000		

WS-526C		Size: 17X7X4CM Weight: 122 g Tube caliber: 19MM anti-flare use	without butane gas	\$2.18	1000	35 days	Blister package Package: 100pcs/carton; Size:75X29X43CM G.W/N.W: 18/17KG 
				\$2.05	3000		
WS-528C		Size: 20X7.5X4CM Weight: 180 g Tube caliber: 22 MM Soft Flame anti-flare use	without butane gas	\$2.91	1000	35 days	Blister package Package: 100pcs/carton; Size:83X33X52CM G.W/N.W: 24/22KG 
				\$2.75	3000		
WS-529C		Size: 20X7.5X4CM Weight: 133g Tube caliber: 22 MM anti-flare use	without butane gas	\$2.51	1000	35 days	Blister package Package: 100pcs/carton; Size:75X35X43CM G.W/N.W: 21/19KG 
				\$2.36	3000		
WS-530C		Size: 185X76X40 MM Weight: 168 g Tube caliber: 22 MM anti-flare use	without butane gas	\$2.91	1000	35 days	Blister package Package: 100pcs/carton; Size:83X33X52CM G.W/N.W: 21/19KG 
				\$2.75	3000		
WS-531C		Size: 175X52X90MM Weight: 141 g Tube caliber: 22 MM anti-flare use	without butane gas	\$2.51	1000	35 days	Blister package Package: 100pcs/carton; Size:83X33X52CM G.W/N.W: 20/19KG 
				\$2.36	3000		
WS-532B		Size: 164X35X60MM Weight: 124g Tube caliber: 22 MM anti-flare use	without butane gas	\$2.26	1000	35 days	Package: 100pcs/carton; Size: 85X34X45CM G.W/N.W: 18/17KG 
				\$2.12	3000		
WS-533B		Size: 16X3.8X5CM Weight: 109 g Tube caliber: 19 MM anti-flare use	without butane gas	\$2.18	1000	35 days	Package: 100pcs/carton; Size: 75X29X43CM G.W/N.W: 13/11KG 
				\$2.05	3000		
OS-535C		Size: 173X37X79MM Weight: 148 g Tube caliber: 22 MM Soft Flame anti-flare use	without butane gas	\$2.91	1000	35 days	Package: 100pcs/carton; Size: 83X34X45CM G.W/N.W: 19/17KG 
				\$2.75	3000		

OS-536C		<b>CE certification</b> Size: 173X37X79MM Weight: 151 g Tube caliber: 22 MM anti-flare use	without butane gas	\$2.91	1000	35 days	Package: 100pcs/carton; Size: 75X35X43CM G.W/N.W: 19/17KG 
				\$2.75	3000		
OS-537C		Size: 185X37X78MM Weight: 150 g Tube caliber: 22 MM Soft Flame anti-flare use	without butane gas	\$2.91	1000	35 days	Package: 100pcs/carton; Size: 83X33X45CM G.W/N.W: 22/20KG 
				\$2.75	3000		
OS-538C		<b>CE certification</b> Size: 155X45X70MM Weight: 143 g Tube caliber: 22 MM Soft Flame anti-flare use	without butane gas	\$2.18	1000	35天	Package: 100pcs/carton; Size: 85X34X45CM G.W/N.W: 22/20KG 
				\$2.05	3000		
OS-539C		<b>CE certification</b> Size: 162X37X92MM Weight: 159 g Tube caliber: 22 MM Soft Flame Safety lock anti-flare use	without butane gas	\$2.51	1000	35 days	Package: 100pcs/carton; Size: 85X34X45CM G.W/N.W:22/20KG 
				\$2.36	3000		
OS-550C		Size:180X40X73mmMM Weight: 212g Tube caliber: 22 MM Soft Flame anti-flare use	without butane gas	\$3.07	1000	35 days	Package: 100pcs/carton; Size: 85X34X45CM G.W/N.W: 27/26KG 
				\$2.91	3000		
OS-551C		Size: 185×40×76 mm Weight: 163g Tube caliber: 22 MM anti-flare use	丁烷	\$2.43	1000	35 days	Package: 100pcs/carton; Size: 85X34X45CM G.W/N.W: 22.5/21.5KG
				\$2.28	3000		
OS-553C		Size: 205×40×87 mm Weight: 177g Tube caliber: 32 MM anti-flare use	丁烷	\$2.43	1000	35 days	Package: 100pcs/carton; Size: 85X34X45CM G.W/N.W: 22.5/21.5KG
				\$2.28	3000		
OS-601B		Size: 210X68X38MM Weight: 125 g Tube caliber: 32 MM anti-flare use	without butane gas	\$2.10	1000	35 days	Package: 100pcs/carton; Size: 57X33.5X55CM G.W/N.W: 14.5/12.5KG 
				\$1.97	3000		

OS-602B		Size: 160X150X38MM Weight: 82.7 g Tube caliber: 14 MM	without butane gas	\$2.10	1000	35 days	Package: 100pcs/carton; Size: 67x27x52CM G.W/N.W: 12.7/11.2 KG 
				\$1.97	3000		
OS-603B		Size: 650X40X130MM Weight: 317 g Tube caliber: 28 MM	without butane gas	\$4.93	1000	35 days	Package: 50pcs/carton; Size: 78x27x80CM G.W/N.W: 22.3 /21 KGS 
				\$4.72	3000		
OS-605B		CE certification Size: 111*51*222MM Weight: 125.5 g Tube caliber: 28MM anti-flare use	without butane gas	\$3.12	1000	35 days	
				\$2.96	3000		
OS-606B		Size: 75x60x130MM Weight: 97.3g For Lighting	without butane gas	\$3.48	1000	35 days	Package: 100pcs/carton Size: 57.5x42.5x66CM G.W/N.W: 19/17KG 
				\$3.30	3000		
OS-616B		Size: 75x60x130MM Weight: 97.3g For Lighting	without butane gas	\$3.64	1000	35 days	Package: 100pcs/carton Size: 33x32x60 CM G.W/N.W: 14.8/13.8KG
				\$3.46	3000		
OS-607		Size: 655X40X80MM Weight: 325g Tube caliber: 32 MM	without butane gas	\$6.07	1000	35 days	Package: 50pcs/carton Size: 52x48.5x70CM G.W/N.W: 25/24KG
				\$5.82	3000		
OS-608		Size: 57.3X3X5.2CM Weight: 285.5g Tube caliber: 31.5CM	without butane gas	\$8.98	1000	35 days	
				\$8.65	3000		
OS-608		Size: 64X4X13.4CM Weight: 320g Tube caliber: 31.5CM	without butane gas	\$9.46	1000	35 days	
				\$9.13	3000		


WS-628C		<b>CE certification</b> Size: 225X40X70MM Weight: 171g Tube caliber: 22 MM Soft Flame anti-flare use	without butane gas	\$3.24	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:73X49X60CM G.W/N.W: 27/25KG 
				\$3.07	3000		
WS-629C		<b>CE certification</b> Size: 210X40X69 MM Weight: 168g Tube caliber: 22 MM anti-flare use	without butane gas	\$3.07	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:75X29X54CM G.W/N.W: 22/20KG 
				\$2.91	3000		
OS-7609C		Size: 140×105×42MM Weight: 130g Tube caliber: 19MM anti-flare use	without butane gas	\$2.43	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size: 75×35×43CM Weight: 18/17KG 
				\$2.28	3000		
WS-7612C		Size: 155X69X50MM Weight: 117 g Tube caliber: 19 MM anti-flare use	without butane gas	\$2.43	1000	35 days	<b>Blister package</b> Package: 100pcs/carton; Size:75X32X43CM G.W/N.W: 16.5/15KG 
				\$2.28	3000		

- 1.Sample time: sample in stock 2-3days, customed sample 7-10 days.
- 2.Sample cost: \$8-10/pc, based on sample item.
- 3.Sample freight cost: on customer's side.
- 4.Color box cost: exsiting design is free. customed design \$100, more than 3000pcs/design, the charge is free.  
display cost: exsiting design is free. customed design \$150, more than 3000pcs/design, the charge is free.  
Color card cost: exsiting design is free. customed design \$50, more than 3000pcs/design, the charge is free.
- 5.Torch do not include logo, we can do laser logo and printing logo:  
Laser logo : moq 500pcs add \$0.02/pcs, printing logo : moq 1000pcs add \$0.03/pcs.
6. Torch body plastic parts color can change, mold fee \$50/color, more than 3000pcs, charge is free.

## QUOTATION COMMENTS

- 1)quotation valid: 45days
- 2)Quote Is Based On Currency Exchange Rate Range of 6.9. Unit Cost Subject to change if exchange rate is out of range.
- 3)Payment Term: T/T, Deposit 30%, Blance 70% before shipment;

## TESTING & CERTIFICATION REQUIREMENTS





## About US

# WENZHOU WANS TORCH CO.,LTD.



Wenzhou Wans Torch Co.,Ltd. Founded in 1999. At the beginning of the company establishment, the company specialized in producing electronic ignition lighters such as windproof lighters, copying lighters, LED music lighters and so on. These products had been exported to all over the world. To satisfy the demands of the market, in 2004, the company quickly focus on the gas spray gun researching and developing. With the further development of gas spray gun technology and humanized design concept, The company has developed a series of spray gun products for industrial and domestic.

On the basis of the core value of the “ the safest performance, the best product ” and sticking to the strict 5S plant management, the company is developing new products constantly, which can satisfy the demands systems, the company has passed the certification systems such as CE, BASIC society responsibility.

Welcome partners from all over the world. Let us work together to create a win-win future.



## Basic Information

Address	No.7,HongShengDa Road, Wu Tian Sub-District, Ou Hai District, Wenzhou City, Zhejiang Province
Total Area	5000 Square meters
Production Area	1500 Square meters
Warehouse Area	3000 Square meters
Office Area	100 Square meters
Employee	110
Capacity Monthly	380, 000pcs for normal products

